

2.0 Megapixel 10X PAN Tilt Camera



- 10x zoom Lens
- 2.0MP
- Ambarella

- ▶ IR distance Max.80 meters
- ▶ Pan 0°~260°degrees rotation
- ▶ Tilt -5°~60 degrees rotation
- ▶ IR lamps is hidden
- ▶ WDR function,support IOR setting
- ▶ IP66 waterproof case

Net Camera

English

Please login your account

User Name

Password

Anonymous

Login


WDR Function



WDR off

WDR on


IE interface



Datenblatt

Video	Sensor	1/2.8" Sony Exmor CMOS Sensor
	Resolution	1080P(1920X1080)
	Shuttle Speed	1/25s ~ 1/100000s
	day & night	ICR
	illumination	0lux (IR ON)
Compression	Compression format	H.264
	frame rate	50HZ:25fps(1920x1080) 60HZ:30fps(1920x1080)
		50HZ:25fps(1280x720) 60HZ:30fps(1280x720)
	Bit Rate	32kbps-16Mbps
	bit rate mode	VBR/CBR
Image	image setting	AWB, AGC adjustable
	WDR	Support (Adjustable)
	Noise reduction	2D/3D-DNR
	Privacy area	Support
	Motion Dection	Support
Lens	focus	5.1-51mm
	iris	Auto
	optical zoom	10x
IR distance	90 pcs IR LEDs	30-70 meters
Pan Tilt	Pan Rotation degrees	0°~260°
	Tilt rotation degrees	-5°~60°
	Pan Speed	0.5°~12°/ s
	Tilt Speed	0.5°~12°/ s
	Preset	256
interface	Communication Port	RJ45

	Power	DC 12V, 2A
	Memory Card Slot	optional
	Auido input & output	optional
	alarm input & output	optional
Internet	Protocol	TCP/IP, UDP, DHCP, NTP, RTSP, PPPoE, DDNS, SMTP, FTP
	ONVIF	Support
Others	Working condition	-30°C~60°C
	Netweight	920 g
	Bracket	YES



Preis:

432.00 CHF exkl. MwSt. 8%

Termin: ab Lager
 MwSt.: exkl. 8%
 Versand: exkl.
 Garantie: 2 Jahre
 Montage: exkl. vor Ort



05.07.16